

MATERIAL SAFETY DATA SHEET

S-759

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MANUFACTURER: SUMMITVILLE LABORATORIES, INC.
PO BOX 90
81 ARBOR ROAD
MINERVA, OH 44657

INFORMATION PHONE 330-868-6463
EMERGENCY PHONE 330-223-1511
24 HOUR SPILL AND EMERGENCY PHONE: 800-424-9300chemtrec

PRODUCT NAME: S-759
PRODUCT NUMBER: 58-00-9130
UPC NUMBER:
PREPARED BY: Safety Manager
DATE PREPARED: 4/5/00
LAST REVISION: 4/13/99
SYNONYMS: TILE, FLOOR MORTAR

UN NUMBER: Not Reg
N. AMER. EMER GUIDE #: N/R
HAZARD CLASS: Not Reg
PACKING GROUP: Not Reg
PROPER SHIPPING NAME: Not Regulated

2. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS #	OSHA PEL	ACGIH TLV
PORTLAND CEMENT MIXTURE	65997151	PEL = (TOTAL DUST) 15 MG/M3; (RESPIRABLE FRACTION) 5mg/M3	TLV = 10mg/M3
SILICA, CRYSTALLINE - QUARTZ	14808607	PEL = SEE TABLE Z-3	TLV = 0.1mg/M3 respirable dust

3. HAZARDOUS IDENTIFICATION

EMERGENCY OVERVIEW: This material is not flammable or reactive; but should be stored in a dry area to preserve material.

POTENTIAL HEALTH EFFECTS

EYE CONTACT: Can cause severe eye irritation

INHALATION: Irritating to the nose, throat, and respiratory tract.

INGESTION: May cause severe and permanent damage to mouth, throat, stomach, and digestive tract.

SKIN CONTACT: Prolonged exposure may cause skin irritation.

SIGNS AND SYMPTOMS OF EXPOSURE:

Irritation and/or difficulty breathing, irritation of eyes, skin, mouth and/or nasal passages, possible headache.

4. FIRST AID MEASURES

- EYE CONTACT:** Immediately flush eyes with plenty of water. Get medical attention, if irritation persists.
- INHALATION:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.
- INGESTION:** If swallowed, drink large amounts of water and induce vomiting. Never give anything by mouth to an unconscious person. Seek medical attention immediately.
- SKIN CONTACT:** Wash affected area with soap and water. If irritation persists, get medical attention.

AGGRAVATED MEDICAL CONDITIONS:

Frequent and prolonged contact with eyes and skin can cause irritation. Prolonged exposure above guidelines may cause silicosis.

SUPPLEMENTAL HEALTH INFORMATION:

N/A

5. FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES

FLASH POINT: N/A

FLASH POINT METHOD USED: N/A

AUTOIGNITION: N/A

LEL:

UEL:

EXTINGUISHING MEDIA:

Generally non-flammable. Use appropriate media for surrounding materials.

SPECIAL FIRE FIGHTING PROCEDURES:

The use of a positive pressure, SCBA is recommended for firefighters.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

None known.

COMBUSTION PRODUCTS:

none known

6. ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS SPILLED OR RELEASED:

Keep dust to a minimum. Material may be swept by personnel wearing appropriate protective equipment.

7. HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

Avoid storing material in areas where it will be exposed to high humidity and/or moisture. Material will solidify when exposed to moisture.

OTHER PRECAUTIONS:

N/A

8. EXPOSURE CONTROL/PERSONAL PROTECTION

RESPIRATORY PROTECTION:

Wear appropriate respirator complying with NIOSH and other appropriate regulations.

VENTILATION:

Controlling airborne concentration below the ACGIH TLV exposure guideline is recommended. Use only with adequate ventilation. Local exhaust ventilation may be necessary for some operations.

PROTECTIVE GLOVES:

Wear gloves as appropriate for sensitive skin.

EYE PROTECTION:

Safety glasses with side shields (or goggles) as appropriate.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT:

Where splashing is possible, wear protective apron

WORK / HYGENIC PRACTICES:

Use good personal hygiene when handling this product. Wash hands after use, before smoking, or using the toilet.

ENGINEERING CONTROLS:

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

EXPOSURE GUIDELINES:

N/A

9. PHYSICAL AND CHEMICAL PROPERTIES

SOLUABILITY IN WATER: Portland cement portion reacts with water

APPEARANCE AND ODOR: Powder. Little to no odor. Color varies.

BOILING POINT:	N/A	PERCENT VOLATILE:	
VAPOR PRESSURE:	N/A	PH:	N/A
EVAPORATION:	N/A	MOLECULAR WEIGHT:	
POUNDS PER GALLON:		VAPOR DENSITY:	N/A
SPECIFIC GRAVITY:	3	OTHER PROPERTIES:	
MELTING POINT:	N/A		
FREEZING POINT:	N/A		

10. STABILITY AND REACTIVITY

STABLE: Stable

INCOMPATIBILITY:

Oxidizing materials and acids.

HAZARDOUS DECOMPOSITION OR BY PRODUCTS:

None

HAZARDOUS POLYMERIZATION: Will Not Occur

11. TOXICOLOGY INFORMATION

N/A

12. ECOLOGICAL INFORMATION

N/A

13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with all Federal, State, and Local regulations.

14. TRANSPORTATION INFORMATION

DOT CLASSIFICATION: Not Regulated

UN NUMBER: Not Reg

PACKING: Not Reg

PROPER SHIPPING NAME: Not Regulated

HAZARD CLASS: Not Reg

GUIDE NUMBER: N/R

15. REGULATORY INFORMATION

No information available.

16. OTHER INFORMATION

HMS INFORMATION: HEALTH: 2 FLAMMABILITY: 0 REACTIVITY: 0 PROTECTIVE: E

Disclaimer

The information contained herein is based on the data available to us and is believed to be accurate. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. We assume no responsibility for injuries from the use of the product described herein.